# LED Light Source

# ST & STH Series – Strobe Controller



Model No. ST-1000-D1

# Specifications

-Interface VR Analog Controller

-Dimension 90 x 41 x 54 MM

-Board Voltage/Input Voltage 24VDC

-Number of Channel 1 Channel

-Output voltage / current 24V / 2A

-Intensity VR Control (Adjustable)

-Mode Constant Mode & Strobe Mode

-Weight (g) 190

#### Features

-The ST & STH series Controller provides:

Single Channel Light Control -Single Channel has identical features

Analog Controller -It is using the VR adjustable for Control the Lighting intensity

Light Output Current Selection (DIP Switch) -Setting limit current and prolong the lifespan of the lights.



Model No. STH-1000-D1

### Specifications

-Interface VR Analog Controller

-Dimension 90 x 41 x 54 MM

-Board Voltage/Input Voltage 24VDC

-Number of Channel 1 Channel

-Output voltage / current 5V / 1A

-Intensity VR Control (Adjustable)

-Mode Constant Mode & Strobe Mode

-Weight (g) 190

# LED Light Source

# ST & STH Series – Strobe Controller



Model No. ST-1000-D1

# Specifications

-Interface VR Analog Controller

-Dimension 90 x 41 x 54 MM

-Board Voltage/Input Voltage 24VDC

-Number of Channel 1 Channel

-Output voltage / current 24V / 2A

-Intensity VR Control (Adjustable)

-Mode Constant Mode & Strobe Mode

-Weight (g) 190

### Features

-The ST & STH series Controller provides:

Single Channel Light Control -Single Channel has identical features

Analog Controller -It is using the VR adjustable for Control the Lighting intensity

Light Output Current Selection (DIP Switch)
-Setting limit current and prolong the lifespan of the lights.



## Specifications

-Interface VR Analog Controller

-Dimension 90 x 41 x 54 MM

-Board Voltage/Input Voltage 24VDC

-Number of Channel 1 Channel

-Output voltage / current 5V / 1A

-Intensity VR Control (Adjustable)

-Mode Constant Mode & Strobe Mode

-Weight (g) 190